

In the Claims:

• •

Please amend claims 1-3, 6-15, 17-22, 24-26, 28-31, 33-35, 37, 39, 43 and 47 as follows. Please cancel claims 4, 5, 8, 11, 16, 23, 27, 32, 35, 36, 40-42, 45, 46 and 48-56 without prejudice. This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A solar water heater pasteurizer comprising:

a <u>flexible</u> water-tight resealable container, wherein said container comprises a top and a bottom, wherein said bottom comprises at least one resealable opening, wherein said resealable opening comprises at least one water-tight spout with a mating resealable cap, and wherein said resealable cap comprises a bracket for receiving one or more reuseable temperature indicators for indicating the temperature history of the water contained therein,

at least one or more energy converting structures therein, as an integral part of said container, wherein said structure is incorporated within said water heater, and

<u>a first</u> insulation structure <u>on the top of said container, wherein said first insulation</u> structure comprises gas contained within air-tight structures, and

a second insulation structure on the bottom of said container, wherein said second insulation structure is selected from gas contained within air-tight structures, closed cell foam or open cell foam,

wherein said insulation structures collectively are sufficient to enable said heater pasteurizer to achieve water temperatures of at least 60° C, wherein said insulation structures is are an integral part of said container.

2. (Currently amended) A water <u>heater pasteurizer</u> according to claim 1, wherein said container is rigid temperature indicator is made of a glass tube containing wax therein that melts at pasteurization temperatures.





Atty. Dkt. No. SOLAR1120-3 (051264-0306)

3. (Currently amended) A water <u>heater pasteurizer</u> according to claim 1, wherein said container comprises a glass or polymeric material.

4-5. (Cancelled)

- 6. (Currently amended) A water heater pasteurizer according to claim 5 1, wherein said energy converting structure is darkly colored to enhance energy absorption thereof.
- 7. (Currently amended) A water <u>heater pasteurizer</u> according to claim 5 1, wherein said energy converting structure is black.

8. (Cancelled)

- 9. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>5</u> <u>1</u>, wherein said energy converting structure is flexible and expansive.
- 10. (Currently amended) A water **heater pasteurizer** according to claim **5 1**, wherein said energy converting structure is pleated, or layered to maximize the surface area thereof.

11. (Cancelled)

- 12. (Currently amended) A water <u>heater pasteurizer</u> according to claim 5 1, wherein said energy converting structure is a two-sided panel.
- 13. (Currently amended) A water <u>heater pasteurizer</u> according to claim 12, wherein said panel is bonded to one or more interior surfaces of said container.





Atty. Dkt. No. SOLAR1120-3 (051264-0306)

- 14. (Currently amended) A water <u>heater pasteurizer</u> according to claim 13, wherein said panel comprises flow structure that provides for flow of water from a first side of said panel to a second side of said panel.
- 15. (Currently amended) A water <u>heater pasteurizer</u> according to claim 14, wherein said panel comprises a perforated polymeric material.
 - 16. (Cancelled)
- 17. (Currently amended) A water heater pasteurizer according to claim 46 1, wherein said insulating structure(s) comprises at least one inflatable airspace inside of said container.
- 18. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>16 1</u>, wherein said insulating structure(s) comprises at least one inflatable airspace outside of said container.
- 19. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>16 1</u>, wherein said insulating structure(s) comprises at least one inflatable airspace inside, and at least one inflatable airspace outside of said container.
- 20. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>46 1</u>, wherein said insulating structure(s) is are coextensive with said container.
- 21. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>46 1</u>, wherein said insulating structure(s) on both the front and back of said container is <u>are</u> inflatable.





Atty. Dkt. No. SOLAR1120-3 (051264-0306)

22. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>16 1</u>, wherein said <u>first and/or second</u> insulating structure comprises an energy reflective surface.

23. (Cancelled)

- 24. (Currently amended) A water heater pasteurizer according to claim 23 1, wherein said water-tight cap further comprises a pump-action pressurized sprayer, and/or a water-well pump configuration.
- 25. (Currently amended) A water <u>heater pasteurizer</u> according to claim 1, wherein said resealable container comprises at least one outlet that may have a spout, stopcock, sprayer, shower, sport-cap or filter-containing attachment.
- 26. (Currently amended) A water <u>heater pasteurizer</u> according to claim 1, wherein said container comprises one or more hanging attachments to enable gravitational effects to dispel water.

27. (Cancelled)

- 28. (Currently amended) A water <u>heater pasteurizer</u> according to claim 27 <u>1</u>, wherein said temperature indicator is a thermometer, a liquid crystal sheet indicator, or a water pasteurization indicator (WAPI).
- 29. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>28 1</u> wherein said <u>temperature indicator resealable cap</u> comprises 2 or more <u>WAPi's different</u> temperature indicators.





Atty. Dkt. No. SOLAR1120-3 (051264-0306)

- 30. (Currently amended) A water <u>heater pasteurizer</u> according to claim 1, further comprising one or more particulate, anti-microbial, or charcoal filters.
- 31. (Currently amended) A water heater pasteurizer according to claim 30, wherein said filter is associated with said resealable opening, such that water introduced into and/or dispensed from said container passes through said filter.
 - 32. (Cancelled)
- 33. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>32 1</u>, wherein said container comprises one or more pleated structures to provide for expansion of the container upon filling said container with liquid.
- 34. (Currently amended) A water <u>heater pasteurizer</u> according to claim <u>32 1</u>, further comprising a reflective cooker panel, and/or solar cooker <u>placed external to said</u> container.
 - 35-36. (Cancelled)
- 37. (Currently amended) A method for the production of potable water, said method comprising exposing water contained within a water **heater pasteurizer** according to claim 1 to a suitable energy source for a time sufficient to pasteurize said water.
- 38. (Original) The method according to claim 37, wherein said suitable energy source is sunlight.





Atty. Dkt. No. SOLAR1120-3 (051264-0306)

39. (Currently amended) A method for the pasteurization of water, said method comprising exposing water contained within a water heater pasteurizer according to claim 31 to a suitable energy source for a time sufficient to pasteurize said water.

40-42 (Cancelled)

43. (Currently amended) A method of assembly of a solar water heater pasteurizer, said method comprising:

stacking first, second and third sheets of a flexible polymeric material, bonding said sheets together at or near the perimeters of said sheets to create a three-ply structure, wherein said first and second sheets upon bonding, form a water-tight container containing therein said third sheet,

wherein at least said first sheet is transparent,

wherein said second sheet is insulated and has an energy reflective layer thereon, wherein said second sheet contains at least one water-tight spout with a mating cap, wherein said cap comprises a bracket for receiving one or more re-usable temperature indicators for indicating the temperature history of the water contained therein, intimately associated therewith, and

wherein said third sheet is an energy converting structure, and thereafter

stacking and bonding a fourth sheet of flexible polymeric material to said first sheet of material along the perimeter thereof, said fourth sheet providing a transparent insulating airspace.

44. (Original) A method of assembly according to claim 43, wherein said third sheet is perforated.





Atty. Dkt. No. SOLAR1120-3 (051264-0306)

45-46. (Cancelled)

47. (Currently amended) A method of assembly according to claim 46 43, wherein said fourth sheet comprises a second resealable opening for the inflation of said insulating airspace.

48-56. (Cancelled)